



An Acelity Company



ACTIV.A.C.™ Therapy System



SNAP™ Therapy System



PROMOGRAN PRISMA™ Matrix



CELLUTOME™ Epidermal Harvesting System

MANAGE WOUNDS WITH THE ACELITY PORTFOLIO OF CHRONIC WOUND SOLUTIONS

The Certainty of Acelity™



Acelity™

As your partner in wound care management, Acelity helps empower you to effectively manage wounds across multiple care settings.

Positive clinical and economic outcomes.

Acelity wound products have been shown in a variety of clinical studies to be associated with optimal clinical and economic outcomes.









- **20 years of transformative technology** in Negative Pressure Wound Therapy (V.A.C.® Therapy) leadership
- **93% of published NPWT clinical evidence** is based on the Acelity™ V.A.C.® Therapy System
- V.A.C.® Therapy has been the treatment of choice for more than 10 million wounds worldwide*
- V.A.C.® Therapy is supported by clinical evidence in more than **2,100 clinical publications** and **1,000 peer-reviewed articles**
- Over **60 published clinical studies** supporting Acelity™ Negative Pressure Incision Management products
- **12 RCTs** and over **100 publications** supporting PROMOGRAN™ Matrix Wound Dressing and PROMOGRAN PRISMA™ Matrix
- Acelity™ products can help **improve patient outcomes** thereby **positively impacting hospital economics**

*Data on file.



Advanced wound therapies give you the flexibility to customize the wound healing continuum across different healthcare settings

Acelity helps answer the individualized challenges of chronic wounds with an innovative portfolio of proven healing solutions that can be customized across diverse care settings. Now, you have the flexibility to manage chronic wounds with individualized solutions that empower you to make faster treatment decisions.

NPWT	ADVANCED WOUND DRESSINGS		EPIDERMAL HARVESTING
			
			
			



References

1. Frykberg RG. Diabetic foot ulcers: pathogenesis and management. *Am Fam Physician*. 2002;66(9):1655-1663.
2. Brem H, Tomic-Canic M. Cellular and molecular basis of wound healing in diabetes. *J Clin Invest*. 2007;117:1219-1222.
3. Sen CK, Gordillo GM, Roy S, et al. Human skin wounds: a major and snowballing threat to public health and the economy. *Wound Repair Regen*. 2009;17(6):763-771.
4. Fife CE, Carter MJ, Walker D, Thomson B. Wound care outcomes and associated cost among patients treated in US outpatient wound care centers: data from the US Wound Registry. *Wounds*. 2012;24(1):10-17.
5. Law A, Cyhaniuk A, Krebs B. Comparison of health care costs and hospital readmission rates associated with negative pressure wound therapies. *Wounds*. 2015 Mar;27(3):63-72.
6. Armstrong DG, Marston WA, Reyzelman AM, Kirsner RS. Comparative effectiveness of mechanically and electrically powered negative pressure wound therapy devices: a multicenter randomized controlled trial. *Wound Rep Reg*. 2012; 20(3):332-341
7. Gottrup F, Cullen BM, Karlsmark T, et al. Randomized controlled trial on collagen/oxidized regenerated cellulose/silver treatment. *Wound Repair Regen*. 2013;21(2):216-225.
8. Clark R, Del Bono M, Stephens S-A, et al. Simulated in use tests to evaluate a Non-Adherent Antimicrobial silver alginate dressing. Poster presented at: CAWC; October 2009; Quebec City.
9. Gray, D. SILVERCEL® Non adherent dressing: taking the pain out of antimicrobial use. *Wounds UK*. 2009;5(4):118-120.
10. Clark R, Bradbury S. SILVERCEL® NON ADHERENT made easy. *Wounds Intl*. 2010; 1(5).
11. International case series: Using SILVERCEL® Non-adherent: Case Studies. London: *Wounds Intl*. 2012.
12. Bianchi, J. et al. Consensus guidance for the use of Adaptic Touch non-adherent dressing. *Wounds UK*, 2011, 7(3).
13. Brosnan, P. et al. The design principles of non-adherent materials. Poster, EWMA 2012.
14. Schulze HJ. Clinical evaluation of TIELLE™ Plus dressing in the management of exuding chronic wounds. *Br J Community Nurs*. 2003;8(11 Suppl):18-22.
15. Turton K, et al. Evaluation Of The Fluid Handling Properties Of Hydropolymer Foam Dressings For Managing Wound Exudate. Poster presented at: Wounds UK Annual Conference; November 14-16, 2011; Harrogate, UK.
16. Lane T, Bolton R, Del Bono M, Thistlethwaite J. Evaluations of the Performance of a new Silicone Adhesive Foam Dressing. Poster presented at: Conference of the European Wound Management Association (EWMA); May 3-5, 2017; Amsterdam, Netherlands.
17. Blair SD, Wright DD, Backhouse CM, et al. Sustained compression and healing of chronic venous ulcers. *Br Med J*. 1988;297:1159-1161

NPWT



ACTIV.A.C.™ Therapy System: First-line therapy in a majority of chronic wounds

Designed to help patients resume their activities of daily living while still receiving the proven wound healing benefits of V.A.C.® Therapy.

- Promotes granulation tissue formation
- Ergonomic design is lightweight, small, and easy to use
- Partner the ACTIV.A.C.™ Therapy System with a broad range of dressings that meet the specialized needs of your patients
 - V.A.C.® GRANUFOAM™ Dressing promotes granulation tissue formation as part of the therapy system
 - V.A.C. WHITEFOAM™ Dressing, a non-adherent, highly absorbent, hydrophilic dressing
 - V.A.C.® GRANUFOAM SILVER™ Dressing, based on *in vitro* anti-microbial testing, provides for an effective barrier to bacterial penetration
 - V.A.C.® GRANUFOAM™ Dressing comes in unique shapes, including round, thin, heel, and hand
 - V.A.C.® SIMPLACE™ Dressings and V.A.C.® SIMPLACE™ EX Dressings are for simplified dressing placement
 - V.A.C.® GRANUFOAM™ Bridge Dressings and V.A.C.® GRANUFOAM™ Bridge XG Dressings are for off-loading treatment

SENSAT.R.A.C.™ Technology with EASYCLEAR PURGE™ Technology

Only KCI™ V.A.C.® Therapy provides patented SENSAT.R.A.C.™ Technology, a real-time pressure feedback system that adjusts pump output, compensating for wound distance, wound position, exudate characteristics, and patient movement.



DISPOSABLE NPWT



SNAP™ Therapy System:

Combines the simplicity of advanced dressings with the proven benefits⁶ of negative pressure therapy

- Ideal for small to medium DFUs and VLUs
- Small, silent, lightweight system designed for ambulatory or elderly patients
- Disposable, off-the-shelf NPWT
- Medicare-reimbursed in Wound Care Clinics (97607/8)

ADVANCED WOUND DRESSINGS

Innovative dressings to assist you and the individualized needs of your patients

EXUDATE MANAGEMENT



TIELLE™ Foam Dressings with LIQUALOCK™ Advanced Absorption Technology

BIOBURDEN



SILVERCEL™ NON-ADHERENT Antimicrobial Alginate Dressing with EASYLIFT™ Precision Film Technology & PROMOGRAN PRISMA™ Matrix Dressings

NON-ADHERENT




ADAPTIC TOUCH™ Non-Adhering Silicone Dressings



PROMOGRAN PRISMA™ Matrix

Maintains a physiologically moist microenvironment at the wound surface conducive to granulation tissue formation, epithelialization, and optimal wound healing.


- Freeze dried composite of collagen, **oxidized regenerated cellulose** (ORC), and silver
- Collagen/ORC efficacy is supported by a body of clinical evidence (>100 publications), including 12 randomized clinical trials (RCT). One RCT compares PROMOGRAN PRISMA™ Matrix (n=24) to a Control (standard of care, n=15) in patients with diabetic foot ulcers⁷
 - **79%** of wounds treated with PROMOGRAN PRISMA™ Matrix were healed or improved* at week 4 (vs 43% of Control)
 - **91%** of wounds treated with PROMOGRAN PRISMA™ Matrix were healed or improved* at week 14 (vs 69% of Control)
 - **0%** of wounds treated with PROMOGRAN PRISMA™ Matrix were withdrawn due to infection at week 12 (vs 31% of Control)



SILVERCEL™ NON-ADHERENT Dressing

A non-woven pad composed of alginate, carboxymethylcellulose (CMC), and silver coated nylon fibers, with EASYLIFT™ Precision Film Technology wound contact layer for easy and pain-free removal.^{8,9}

- Exudate absorption while minimizing non-adherence to the wound¹⁰
- Provides a sustained release of silver ions for up to 7 days, *in vitro*¹⁰
- Effective against a broad spectrum of wound pathogens in *in vitro* models^{8,10}
- Manages exudate in moderate to heavily exuding wounds, promoting a favorable environment for effective wound management^{9,11}



ADAPTIC TOUCH™ Non-Adhering Silicone Dressing

A flexible, open-mesh primary wound contact layer comprised of cellulose acetate coated with a soft tack silicone designed to facilitate fluid transfer to secondary dressing and minimize adherence and pain at dressing change.

- Advanced mesh design reduces the risk of exudate pooling and tissue maceration
- The small size of the pores minimizes the risk of granulation tissue in-growth while also maintaining an open area 92% greater than Mepitel® Dressing^{12,13}


*Improved defined as >50% reduction in wound size.



TIELLE LIQUALOCK™ Hydropolymer Foam Dressings

Hydropolymer foam dressing with **LIQUALOCK™** Advanced Absorption Technology that helps maintain a moist wound healing environment through the combination of absorbency and vapor transmission.

- Expands and **conforms to the wound bed**, helping avoid pooling of exudate
- LIQUALOCK™ Technology **locks fluid away**, minimizing the risk of leakage and maceration^{14,15}



TIELLE ESSENTIAL™ Silicone Border Dressing

An all-in-one soft conformable foam dressing providing a gentle adhesion to the skin.

- Effective fluid management
- Silicone perforated layer helps prevent the dressing from sticking to the wound¹⁶
- Reduces pain & trauma during dressing changes¹⁶



BIOSORB™ Gelling Fiber Dressing

A soft, conformable non-woven dressing made from sodium carboxymethyl cellulose and strengthening cellulose fibers, intended for use in the management of moderate to heavy exuding acute or chronic wounds.

- Proven to offer greater absorbency than other leading gelling fiber or hydrofiber dressings *in vitro*
- Designed to hold its shape from start to finish to minimize the risk of fiber shed upon removal
- Designed for intact removal and to make dressing changes less painful



DYNA-FLEX™ Multi-Layer Compression System

Provides sustained compression for up to seven days at both the ankle and below the knee, when used according to package insert directions.

- Compression therapy helps to reduce the effects of venous insufficiency¹⁷
- Suitable for the management of venous leg ulcers and related conditions

EPIDERMAL HARVESTING



CELLUTOME™ Epidermal Harvesting System

An automated, precise, and reproducible epidermal harvesting process that can be easily utilized in a non-hospital setting.

- Fast harvesting procedure, takes on average 45 minutes
- Minimal pain and donor site trauma

Chronic wounds: Early intervention is key

When treating chronic wounds, early intervention may allow prompt healing and prevention of wound recurrence. Failure to intervene early can have far-reaching consequences, such as the progression of diabetic foot ulcers to lower extremity amputation (LEA).¹ An estimated 15% of all diabetic patients will suffer from lower extremity amputation. Of these cases, 84% of the LEA cases are preceded by diabetic foot ulcers.²

Several factors can pose challenges to early intervention:

- Health status of the patient
- Wide variety of care settings
- Complexity of the wound healing process, which involves
 - Overlapping phases of inflammation, proliferation, and remodeling
 - Effective management of microbial bioburden and elevated enzyme activity such as matrix metalloproteinases (MMPs).

Delays in chronic wound healing can have significant impact on healthcare costs:

- Chronic wounds affect up to **6.5 million patients** in the US, costing in excess of **\$25 billion** annually³
- The average cost to heal a chronic wound is **\$3,927** in outpatient wound care centers⁴


Early intervention and outcomes with Acelity

The efficacy and safety of Acelity™ advanced wound therapies are proven in clinical studies and continuously monitored through a commitment to ongoing clinical evaluation. The *Proven Certainty* of Acelity™ delivers negative pressure therapies and advanced wound dressing solutions to address the wound healing continuum across all healthcare settings.

Post-acute setting cost study⁵

Claims data were analyzed for over 15,000 patients with at least one NPWT claim in the post-acute setting to identify total cost of care for V.A.C.® Therapy vs Competitor NPWT patients.*

For the 3 months following patients' initial NPWT treatment, the study showed that V.A.C.® Therapy resulted in:



In this study, Acelity™ products helped **reduce the total cost of care.**

*Each patient received at least 1 diagnosis claim with an NPWT HCPCS code (E2402). Competitor patients include all non-KCI™ NPWT patients.

Acelity portfolio of chronic wound care solutions

Product	Part Number	Description
ACTIV.A.C.™ Therapy System	340000 M8275058/10 M8275058/5	ACTIV.A.C.™ Therapy Unit ACTIV.A.C.™ Canister w/Gel , 10-pack, 300ml ACTIV.A.C.™ Canister w/Gel, 5-pack, 300ml
V.A.C.® Dressings with SENSAT.R.A.C.™ Technology Ease of Use	M8275042/10 M8275042/5 M8275044/5 M8275051/10 M8275051/5 M8275052/10 M8275052/5 M8275053/10 M8275053/5 M8275065/5 M8275046/5 M8275045/5 M8275041/10 M8275041/5 M8275040/10 M8275040/5	V.A.C.® GRANUFOAM™ Bridge Dressing, 10-pack V.A.C.® GRANUFOAM™ Bridge Dressing, 5-pack V.A.C.® GRANUFOAM™ Bridge XG Dressing, 5-pack V.A.C.® GRANUFOAM™ Small Dressing, 10-pack V.A.C.® GRANUFOAM™ Small Dressing, 5-pack V.A.C.® GRANUFOAM™ Medium Dressing, 10-pack V.A.C.® GRANUFOAM™ Medium Dressing, 5-pack V.A.C.® GRANUFOAM™ Large Dressing, 10-pack V.A.C.® GRANUFOAM™ Large Dressing, 5-pack V.A.C.® GRANUFOAM™ X-Large Dressing, 5-pack V.A.C.® SIMPLACE™ EX Small Dressing, 5-pack V.A.C.® SIMPLACE™ EX Medium Dressing, 5-pack V.A.C.® SIMPLACE™ Small Dressing, 10-pack V.A.C.® SIMPLACE™ Small Dressing, 5-pack V.A.C.® SIMPLACE™ Medium Dressing, 10-pack V.A.C.® SIMPLACE™ Medium Dressing, 5-pack
V.A.C. WHITEFOAM™ Dressings with SENSAT.R.A.C.™ Technology Less-Adherent*	M6275033/10 M6275034/10 M8275067/10 M8275067/5 M8275068/10 M8275068/5	V.A.C. WHITEFOAM™ Small Dressing, Foam Only, 10-pack V.A.C. WHITEFOAM™ Large Dressing, Foam Only, 10-pack V.A.C. WHITEFOAM™ Large Dressing, 10-pack V.A.C. WHITEFOAM™ Large Dressing, 5-pack V.A.C. WHITEFOAM™ Small Dressing, 10-pack V.A.C. WHITEFOAM™ Small Dressing, 5-pack
V.A.C.® GRANUFOAM SILVER™ Dressing Antimicrobial Barrier	M8275098/10 M8275098/5 M8275096/10 M8275096/5 M8275099/10 M8275099/5	V.A.C.® GRANUFOAM SILVER™ Dressing, 10-pack, Small V.A.C.® GRANUFOAM SILVER™ Dressing, 5-pack, Small V.A.C.® GRANUFOAM SILVER™ Dressing, 10-pack, Medium V.A.C.® GRANUFOAM SILVER™ Dressing, 5-pack, Medium V.A.C.® GRANUFOAM SILVER™ Dressing, 10-pack, Large V.A.C.® GRANUFOAM SILVER™ Dressing, 5-pack, Large
SNAP™ Therapy System	SNPA125US SKTF10X10 SKTF15X15 BKTF14X11 BKTF14X11S SRNG10 STPAS STPAM STPAL	SNAP™ Therapy Cartridge, -125mmHg, 60ml SNAP™ Advanced Dressing Kit (Foam), 10cm x 10cm SNAP™ Advanced Dressing Kit (Foam), 15cm x 15cm SNAP™ Bridge Dressing Kit (Foam), 14cm x 11cm SNAP™ Bridge Dressing Kit (Foam) with SecurRing™ Hydrocolloid, 14cm x 11cm SNAP™ SecurRing™ Hydrocolloid, 2" diameter SNAP™ Therapy Strap, Small, 18" SNAP™ Therapy Strap, Medium, 21" SNAP™ Therapy Strap, Large, 24"
SILVERCEL™ NON-ADHERENT Antimicrobial Alginate Dressing	900112 900202 900404 900408	1" x 12" - 5 each/CT, 5 CT/BX 2" x 2" - 10 each/CT, 5 CT/BX 4 1/4" x 4 1/4" - 10 each/CT, 5 CT/BX 4" x 8" - 5 each/CT, 5 CT/BX
PROMOGRAN PRISMA™ Matrix Dressing	MA028 MA123	4.34 sq.in Hexagon - 10 each/CT, 4 CT/BX 19.1 sq.in Hexagon - 10 each/CT, 4 CT/BX
ADAPTIC TOUCH™ Non-Adhering Silicone Dressing	500501 500502 500503 500504	2" x 3" - 10 each/CT, 5 CT/BX 3" x 4 1/4" - 10 each/CT, 5 CT/BX 5" x 6" - 10 each/CT, 5 CT/BX 8" x 12 3/4" - 5 each/BX
TIELLE™ Non Adhesive Hydropolymer Dressing	TLN0505EN TLN1010EN TLN1515EN TLN1717EN TLN2122EN	2" x 2" - 10 each/CT, 5 CT/BX 4" x 4" - 10 each/CT, 5 CT/BX 6" x 6" - 10 each/CT, 5 CT/BX 7" x 7" - 10 each/CT, 5 CT/BX 8 1/4" x 8 5/8" - 10 each/CT, 5 CT/BX
TIELLE ESSENTIAL™ Silicone Border Dressing	TLESB0707U TLESB10101U TLESB1020U TLESB1212U TLESB1515U TLESB2020U	3" x 3" - 10 each/CT, 10 CT/Case 4" x 4" - 10 each/CT, 10 CT/Case 4" x 4 7/8" - 10 each/CT, 10 CT/Case 5" x 5" - 10 each/CT, 10 CT/Case 5 7/8" x 5 7/8" - 10 each/CT, 10 CT/Case 7 7/8" x 7 7/8" - 10 each/CT, 10 CT/Case
BIOSORB™ Gelling Fiber Dressing	BGF0505U BGF1012U BGF1515U BGF0245U	2" x 2" - 10 each/CT, 5 CT/BX 4" x 5" - 10 each/CT, 5 CT/BX 6" x 6" - 5 each/CT, 5 CT/BX 1" x 18" - 5 each/CT, 5 CT/BX
DYNA-FLEX™ Multi-Layer Compression System	7025	5" x 9" - 8 units/Case
CELLUTOME™ Epidermal Harvesting System	CT-KIT/US CT-CUS1 CT-TFLM CT-H25 CT-H50 500501	CELLUTOME™ Control Unit and CELLUTOME™ Vacuum Head CELLUTOME™ Control Unit Stand 3M™ Tegaderm™ Film CELLUTOME™ Harvester 2.5cm, 5-pack CELLUTOME™ Harvester 5.0cm, 5-pack ADAPTIC TOUCH™ Non-Adhering Silicone Dressing 2" x 3", 50-pack

*Than V.A.C.® GRANUFOAM™ Dressings

For more information, call **800.275.4524** or visit **acelity.com**

NOTE: Specific indications, contraindications, warnings, precautions and safety information may exist for Systagenix and KCI (Acelity companies) products. Please consult a healthcare provider and product instructions for use prior to application. Rx only.

Copyright 2016, 2017 KCI Licensing, Inc. All rights reserved. Mepilex and Mepitel are trademarks of Mölnlycke Health Care. 3M and Tegaderm are trademarks of 3M Company. All other trademarks designated herein are proprietary to KCI Licensing, Inc., KCI USA, Inc., their affiliates and/or licensors.
LIT#29-A-256 • PRA001422-R0-US, EN (09/17)



Acelity™